

[Review Form2](#)

Book Name:	Medicine and Medical Research: New Perspectives
Manuscript Number:	Ms_BPR_2631
Title of the Manuscript:	Hysterotomy and Myomectomy for Retained Placenta in a Uterus: A Case Report
Type of the Article	Book chapter

PART 1: Review Comments

Compulsory REVISION comments	Reviewer's comment	Author's Feedback <i>(Please correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)</i>
Please write a few sentences regarding the importance of this manuscript for the scientific community. Why do you like (or dislike) this manuscript? A minimum of 3-4 sentences may be required for this part.	This manuscript is important to the scientific community because it highlights an alternative method of management of Retained Placenta, apart from manual removal and evacuation in theatre. I like the manuscript because it is educative to the clinician on what to do when faced with similar condition. I dislike the article because the proper sequence of the procedure in theatre was not properly written down. Laparotomy was followed by Hysterotomy (transverse incision on the uterus). It is only when the uterus is opened up, that you can access a fundally located placenta, for removal.	
Is the title of the article suitable? (If not please suggest an alternative title)	The title is suitable. An alternative title could be: A surgical removal of morbidly adherent placenta due to multiple uterine fibroids.	
Is the abstract of the article comprehensive? Do you suggest the addition (or deletion) of some points in this section? Please write your suggestions here.	Adequate	
Are subsections and structure of the manuscript appropriate?	Appropriate	
Please write a few sentences regarding the scientific correctness of this manuscript. Why do you think that this manuscript is scientifically robust and technically sound? A minimum of 3-4 sentences may be required for this part.	Doing Myomectomy at the same time as removal of retained placenta can be a high risk in a center where there is no adequate blood in the blood bank. This patient's EBL was 4.5 litres. The uterus has increased blood supply during pregnancy, so the massive blood loss is expected. If there is no adequate pre-operative blood available (at least 4 units), the surgeon is advised to do only removal of placenta. Myomectomy can be done 6 months later.	
Are the references sufficient and recent? If you have suggestions of additional references, please mention them in the review form.	Yes	

Review Form2

Minor REVISION comments Is the language/English quality of the article suitable for scholarly communications?	Yes	
Optional/General comments	Satisfactory	

PART 2:

	Reviewer's comment	Author's comment <i>(if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)</i>
Are there ethical issues in this manuscript?	<i>(If yes, Kindly please write down the ethical issues here in details)</i>	

Reviewer Details:

Name:	Rose Sitonma Iwo-Amah
Department, University & Country	Rivers State University Teaching Hospital, Nigeria